



ENERG

енергия · ενεργεια



HYUNDAI

HHD21-S5562S



94
kWh/annum



Product data sheet for household cooker hoods according to regulation (EU) No. 65/2014		
Brand	HYUNDAI	
Model	HHD21-S5562S	
Annual Energy Consumption (AEC _{hood})	kWh/a	94
Energy Efficiency Class		D
Fluid Dynamic Efficiency (FDE _{hood})		6,5
Fluid Dynamic Efficiency Class		F
Lighting Efficiency (LE _{hood})	lux/W	13
Lighting Efficiency Class		D
Grease Filtering Efficiency (GFE)	%	70
Grease Filtering Efficiency Class		D
Air Flow at minimum speed in normal use	m ³ /h	165
Air Flow at maximum speed in normal use	m ³ /h	300
Air Flow in use intensive or boost setting	m ³ /h	-
Acoustic Power emission in normal use at minimum speed	dB	57
Acoustic Power emission in normal use at maximum speed	dB	65
Acoustic Power emission in boost mode	dB	-
Power Consumption in off mode (Po)	W	0
Power Consumption in standby mode (Ps)	W	-
Integration Directive EU 66/2014		
Time Increase Factor (f)		1,8
Energy Efficiency (EEI _{hood})		98,7
Airflow at best efficiency point (Q _{BEP})	m ³ /h	193
Pressure at best efficiency point (P _{BEP})	Pa	171
Electric power input at the best efficiency point (W _{BEP})	W	140
Electric power input for lighting system (W _l)	W	5
Average illuminance on the cooking surface (E _{middle})	lux	65

Product data sheet for household cooker hoods according to regulation (EU) No. 65/2014		
Brand	HYUNDAI	
Model	HHD21-S5562S	
Annual Energy Consumption (AEC _{hood})	kWh/a	94
Energy Efficiency Class		D
Fluid Dynamic Efficiency (FDE _{hood})		6,5
Fluid Dynamic Efficiency Class		F
Lighting Efficiency (LE _{hood})	lux/W	13
Lighting Efficiency Class		D
Grease Filtering Efficiency (GFE)	%	70
Grease Filtering Efficiency Class		D
Air Flow at minimum speed in normal use	m ³ /h	165
Air Flow at maximum speed in normal use	m ³ /h	300
Air Flow in use intensive or boost setting	m ³ /h	-
Acoustic Power emission in normal use at minimum speed	dB	57
Acoustic Power emission in normal use at maximum speed	dB	65
Acoustic Power emission in boost mode	dB	-
Power Consumption in off mode (Po)	W	0
Power Consumption in standby mode (Ps)	W	-
Integration Directive EU 66/2014		
Time Increase Factor (f)		1,8
Energy Efficiency (EEI _{hood})		98,7
Airflow at best efficiency point (Q _{BEP})	m ³ /h	193
Pressure at best efficiency point (P _{BEP})	Pa	171
Electric power input at the best efficiency point (W _{BEP})	W	140
Electric power input for lighting system (W _l)	W	5
Average illuminance on the cooking surface (E _{middle})	lux	65