

Product data sheet for household cooker hoods according to regulation (EU) No. 65/2014				
Brand	HYUNDAI			
Model	HHD21-TL8060GLB			
Annual Energy Consumption (AEC _{hood})		kWh/a	94	
Energy Efficiency Class			D	
Fluid Dynamic Efficiency (FDE _{hood})			6,5	
Fluid Dynamic Efficiency Class			F	
Lighting Efficiency (LE _{hood})		lux/W	13	
Lighting Efficiency Class			D	
Grease Filtering Efficiency (GFE)		%	70	
Grease Filtering Efficiency Class			D	
Air Flow at minumum speed in normal use		m³/h	165	
Air Flow at maximum speed in normal use		m³/h	300	
Air Flow in use intensive or boost setting		m³/h	-	
Acustic Power emission in normal use at minimum speed		dB	57	
Acustic Power emission in normal use at maximum speed		dB	65	
Acustic Power emission in boost mode		dB	-	
Power Consumption in off mode (Po)		w	0	
Power Consumption in standby mode (Ps)		w	-	
Integration Directive	EU 66/2014			
Time Increase Factor (f)			1,8	
Energy Efficiency (EEI _{hood})			98,7	
Airflow at best efficiency point (Q _{BEP})		m³/h	193	
Pressure at best efficiency point (P _{BEP})	1	Ра	171	
Electric power input at the best efficiency point ($W_{\mbox{\tiny BFP}}$)		w	140	
Electric power input for lighting system (WL)		w	5	
Avarage illuminance on the cooking surface (E _{middle})		lux	65	

Product data sheet for household cooker hoods a	according to regulation (EU) No. 65/2014		
Brand	HYUNDAI		
Model	HHD21-TL8060GLB		
Annual Energy Consumption (AEC _{hood})	kWh/a	94	
Energy Efficiency Class		D	
Fluid Dynamic Efficiency (FDE _{hood})		6,5	
Fluid Dynamic Efficiency Class		F	
Lighting Efficiency (LE _{hood})	lux/W	13	
Lighting Efficiency Class		D	
Grease Filtering Efficiency (GFE)	%	70	
Grease Filtering Efficiency Class		D	
Air Flow at minumum speed in normal use	m³/h	165	
Air Flow at maximum speed in normal use	m³/h	300	
Air Flow in use intensive or boost setting	m³/h	-	
Acustic Power emission in normal use at minimum speed	dB	57	
Acustic Power emission in normal use at maximum speed	dB	65	
Acustic Power emission in boost mode	dB	-	
Power Consumption in off mode (Po)	w	0	
Power Consumption in standby mode (Ps)	w	-	
Integration Directive	EU 66/2014		
Time Increase Factor (f)		1,8	
Energy Efficiency (EEI _{nood})		98,7	
Airflow at best efficiency point (Q _{BEP})	m³/h	193	
Pressure at best efficiency point (P _{BEP})	Pa	171	
Electric power input at the best efficiency point (W_{BEP})	w	140	
Electric power input for lighting system (W_L)	w	5	
Avarage illuminance on the cooking surface (E _{middle})	lux	65	