



ENERG

енергия · ενεργεια



HYUNDAI

HHD21-TG2260CX



63
kWh/annum



Product data sheet for household cooker hoods according to regulation (EU) No. 65/2014			
Brand	HYUNDAI		
Model	HHD21-TG2260CX		
Annual Energy Consumption (AEC _{hood})	kWh/a		63
Energy Efficiency Class			D
Fluid Dynamic Efficiency (FDE _{hood})			9,6
Fluid Dynamic Efficiency Class			E
Lighting Efficiency (LE _{hood})	lux/W		13
Lighting Efficiency Class			D
Grease Filtering Efficiency (GFE)	%		70
Grease Filtering Efficiency Class			D
Air Flow at minimum speed in normal use	m ³ /h		165
Air Flow at maximum speed in normal use	m ³ /h		300
Air Flow in use intensive or boost setting	m ³ /h		-
Acoustic Power emission in normal use at minimum speed	dB		46
Acoustic Power emission in normal use at maximum speed	dB		59
Acoustic Power emission in boost mode	dB		-
Power Consumption in off mode (Po)	W		0
Power Consumption in standby mode (Ps)	W		-
Integration Directive EU 66/2014			
Time Increase Factor (f)			1,7
Energy Efficiency (EEI _{hood})			87,3
Airflow at best efficiency point (Q _{BEP})	m ³ /h		187
Pressure at best efficiency point (P _{BEP})	Pa		182
Electric power input at the best efficiency point (W _{BEP})	W		98,3
Electric power input for lighting system (W _L)	W		5
Average illuminance on the cooking surface (E _{middle})	lux		65

Product data sheet for household cooker hoods according to regulation (EU) No. 65/2014			
Brand	HYUNDAI		
Model	HHD21-TG2260CX		
Annual Energy Consumption (AEC _{hood})	kWh/a		63
Energy Efficiency Class			D
Fluid Dynamic Efficiency (FDE _{hood})			9,6
Fluid Dynamic Efficiency Class			E
Lighting Efficiency (LE _{hood})	lux/W		13
Lighting Efficiency Class			D
Grease Filtering Efficiency (GFE)	%		70
Grease Filtering Efficiency Class			D
Air Flow at minimum speed in normal use	m ³ /h		165
Air Flow at maximum speed in normal use	m ³ /h		300
Air Flow in use intensive or boost setting	m ³ /h		-
Acoustic Power emission in normal use at minimum speed	dB		46
Acoustic Power emission in normal use at maximum speed	dB		59
Acoustic Power emission in boost mode	dB		-
Power Consumption in off mode (Po)	W		0
Power Consumption in standby mode (Ps)	W		-
Integration Directive EU 66/2014			
Time Increase Factor (f)			1,7
Energy Efficiency (EEI _{hood})			87,3
Airflow at best efficiency point (Q _{BEP})	m ³ /h		187
Pressure at best efficiency point (P _{BEP})	Pa		182
Electric power input at the best efficiency point (W _{BEP})	W		98,3
Electric power input for lighting system (W _L)	W		5
Average illuminance on the cooking surface (E _{middle})	lux		65